

Printing Date 12/23/2016 Revision Number 1 Revision Date 12/23/2016

1 Identification

- · Product identifier
- · Trade name: Torque PS165, Torque 177, Torque PS192, Torque PS193
- · Relevant identified uses of the substance or mixture. Adhesive
- · Application of the substance / the mixture Adhesives
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Adhesive Systems, Inc.

A Division of Royal Adhesives & Sealants, LLC

9411 Corsair Road Frankfort, Illinois 60423 Phone Number: 800-552-0299

- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling.

(Contd. on page 2)

Printing Date 12/23/2016 Revision Number 1 Revision Date 12/23/2016

Trade name: Torque PS165, Torque 177, Torque PS192, Torque PS193

(Contd. of page 1)

Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 1Reactivity = 1

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- $\cdot \textbf{\textit{Description:}} \ \textit{Mixture}$
- · Hazardous components:

80-15-9 α,α -dimethylbenzyl hydroperoxide

≤2.5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing Date 12/23/2016 Revision Number 1 Revision Date 12/23/2016

Trade name: Torque PS165, Torque 177, Torque PS192, Torque PS193

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

· Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

<i>PAC-1:</i>		
67762-90-7	Synthetic Amorphous Silica	120 mg/m3
9002-84-0	polytetrafluoroethylene	12 mg/m3
80-15-9	α,α -dimethylbenzyl hydroperoxide	0.15 ppm
98-82-8	cumene	50 ppm
PAC-2:		
67762-90-7	Synthetic Amorphous Silica	1,300 mg/m.
9002-84-0	polytetrafluoroethylene	130 mg/m3
80-15-9 α,α -dimethylbenzyl hydroperoxide		1.6 ppm
98-82-8 cumene		300 ppm
<i>PAC-3:</i>		
67762-90-7	Synthetic Amorphous Silica	7,900 mg/m.
9002-84-0	polytetrafluoroethylene	790 mg/m3
80-15-9	α,α -dimethylbenzyl hydroperoxide	9.7 ppm
98-82-8	cumene	730 ppm

USA

Printing Date 12/23/2016 Revision Number 1 Revision Date 12/23/2016

Trade name: Torque PS165, Torque 177, Torque PS192, Torque PS193

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Keep container closed when not in use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect product from freezing.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

80-15-9 a,a -dimethylbenzyl hydroperoxide

WEEL Long-term value: 6 mg/m³, 1 ppm

Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Rubber gloves

(Contd. on page 5)

Printing Date 12/23/2016 Revision Number 1 Revision Date 12/23/2016

Trade name: Torque PS165, Torque 177, Torque PS192, Torque PS193

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses with side shields.



Dynamic:

Tightly sealed goggles

Face shield over protective glasses or goggles.

· Body protection: Protective work clothing

α \mathbf{D}_{I}		1		•	7	
y Ph	veical	and	c	remical	nro	nortios
	youcur	unu	$-\omega_I$	<i>centicul</i>	י עוקי	permes

Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Paste
Color:	White
· Odor:	Mild
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point:	Undetermined.
Boiling.point: · Flash point:	>93 °C (>199 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Flammable limits:	
Lower:	Not determined
Upper:	Not determined
· Vapor pressure:	Not determined.
· Specific gravity at 20 °C (68 °F):	1.15 g/cm³ (9.597 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
- ·	37 . 7

Not determined.

(Contd. on page 6)

Printing Date 12/23/2016 Revision Number 1 Revision Date 12/23/2016

Trade name: Torque PS165, Torque 177, Torque PS192, Torque PS193

(Contd. of page 5)

Kinematic: Not determined.

Solvent content:
Organic solvents: 0.0 %
Other information VOC 146.0 Grams/Liter

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Polymerization may occur upon loss of inhibitor.
- · Conditions to avoid

Heat, flames, sparks.

Avoid temperatures above 100F (38C).

Direct sunlight

· Incompatible materials:

Reacts with acids.

Reacts with oxidizing agents.

Reacts with alkalis (bases)

Reacts with reactive metals.

Reacts with amines.

· Hazardous decomposition products:

Carbon monoxide Carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification	LD/LC50 va	lues that are	relevant for	classification
---	------------	---------------	--------------	----------------

80-15-9 α,α -dimethylbenzyl hydroperoxide

Oral	LD50	382 mg/kg (rat)
	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)

- · Primary irritant effect:
- · on the skin: Skin irritant.
- · on the eve: Irritating effect.
- · Sensitization: Skin Contact Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)				
9002-84-0 polytetrafluoroethylene	3			
81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide	3			
98-82-8 <i>cumene</i>	2 <i>B</i>			

(Contd. on page 7)

Printing Date 12/23/2016 Revision Number 1 Revision Date 12/23/2016

Trade name: Torque PS165, Torque 177, Torque PS192, Torque PS193

(Contd. of page 6)

· NTP (National Toxicology Program)

98-82-8 cumene

R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	not regulated
· Packing group	
· DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of	r
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Limited Quantities are allowed. Refer to 49 CFR for conditions that apply.

(Contd. on page 8)

Printing Date 12/23/2016 Revision Number 1 Revision Date 12/23/2016

Trade name: Torque PS165, Torque 177, Torque PS192, Torque PS193

(Contd. of page 7)

· UN "Model Regulation":

not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- · Section 313 (Specific toxic chemical listings):
- 81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide
- 80-15-9 α,α -dimethylbenzyl hydroperoxide
- 98-82-8 cumene
- · TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

- · Proposition 65
- · Chemicals known to cause cancer:

98-82-8 cumene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· /\	ew J	lersey	Righ	ıt-to-	-Know	List:
------	------	--------	------	--------	-------	-------

- 81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide
- 80-15-9 α,α -dimethylbenzyl hydroperoxide
- 98-82-8 cumene

· New Jersey Special Hazardous Substance List:

80-15-9	α,α -dimethylbenzyl hydroperoxide	F2, R4
98-82-8	cumene	F3, R1

· Pennsylvania Right-to-Know List:

9002-84-0	polytetrafluo	roethylene
-----------	---------------	------------

- 81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide
- 80-15-9 α,α -dimethylbenzyl hydroperoxide
- 98-82-8 cumene

· Pennsylvania Special Hazardous Substance List:

81-07-2	1,2-benzisothiazol-3(2H)-one 1,1-dioxide	ES
80-15-9	α, α -dimethylbenzyl hydroperoxide	E
98-82-8	cumene	E

(Contd. on page 9)

Printing Date 12/23/2016 Revision Number 1 Revision Date 12/23/2016

Trade name: Torque PS165, Torque 177, Torque PS192, Torque PS193

(Contd. of page 8)

· Cancerogenity categories

· EPA (Environmental Protection Agency)

98-82-8 cumene

D, CBD

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Department issuing SDS: Environment protection department.
- · Creation Date: 12/23/2016
- · Date of preparation / last revision 12/23/2016 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3