

# SAFETY DATA SHEET

## Section 1. IDENTIFICATION

### Product Identifier

Product Name GASOILA® HARD SET.

### Other means of Identification

Product Code BT04, BT08, BT16, FT32, FT28.

Recommended Use Pipe Thread Sealant.

Recommended Restrictions None Known.

### Manufacturer

Company Name Fedpro an FPC International company  
Address 4520 Richmond Road  
Cleveland OH 44128  
Telephone 1-800-846-7325

Emergency Telephone Number: Call Chemtrec at 1-800-424-9300

## Section 2. HAZARDS IDENTIFICATION

PHYSICAL STATE: Liquid

### Classification:

Flammable liquids	Category 3
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Acute toxicity, oral	Category 3

### Signal Word:

Danger



### Hazard Statements:

H226 - Flammable liquid and vapor.  
H301 - Toxic if swallowed.

Revised: 6th June,, 2021

H317 – May cause an allergic skin reaction.  
H370 – Causes damage to organs  
H319 – Causes serious eye irritation.

Precautionary Statements:

GASOILA®HARD SET

Prevention:

P210 – Keep away heat, sparks, open flames, and hot surfaces. No smoking.  
P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 – Wash skin thoroughly after using.  
P270 – Do not eat, drink or smoke when using this product.  
P272 – Contaminated clothing should not be allowed out of the workplace.

Response:

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P301 + P310 + P330 – IF SWALLOWED: Immediately call POISON CENTER or doctor/physician. Rinse mouth.

P337 + P313 – If eye irritation persists: Get medical advice/attention.

P332 + P313 – If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P 501 - Dispose of contents/container to an approved waste disposal plant.

Other Hazards:

Toxic to aquatic life with long lasting effects.

Unknown Acute Toxicity:

2% of the mixture consists of ingredient(s) of unknown toxicity.

---

### **Section 3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

Chemical Name	CAS Number	Weight %
Methyl alcohol	67-56-1	25.0 – 35.0
Resin	9000-59-3	22.0 – 30.0

---

### **Section 4. FIRST AID MEASURES**

---

First Aid Measures:

Eye Contact

Rinse thoroughly with plenty of water, for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

Revised: 6th June,, 2021

Skin Contact	If skin irritation occurs, rinse affected area with water. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.
Ingestion	Do NOT induce vomiting Get medical attention immediately. Rinse mouth with water. Never give anything by mouth to an unconscious individual.
<u>Most Important Symptoms and effects:</u>	
Symptoms	Direct contact with eyes may cause temporary irritation. Do NOT ingest.

---

## **Section 5. FIRE-FIGHTING MEASURES**

---

Suitable Extinguishing Media: Use foam, dry chemical, carbon dioxide or water fog.

Unsuitable Extinguishing Media: Not determined.

Specific Hazards Arising from the Chemical:  
Carbon oxides expected to be the primary hazardous combustion product.

Protective Equipment and Precautions for Firefighters:  
As in any fire, wear self-contained breathing apparatus and other protective clothing. (approved or equivalent) and full protective gear.

---

## **Section 6. ACCIDENTAL RELEASE MEASURES**

---

Personal Precautions, Protective Equipment and Emergency Procedures:

Personal Precautions: Use personal protective equipment as required. Keep unnecessary personnel away.

Methods and Material for Containment and Cleaning Up:

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up: Keep in suitable, closed containers for disposal.

---

## **Section 7. HANDLING AND STORAGE**

---

### Precautions for Safe Handling:

GASOILA®HARDSET

Advice on Safe Handling: Avoid breathing vapors or mists. Contaminated work-clothing should not be allowed out of the workplace.

### Conditions for Safe Storage, including Any Incompatibilities:

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near heat, sparks, or open flames. KEEP OUT OF REACH OF CHILDREN.

Incompatible Materials: None known based on information supplied.

---

## **Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### Exposure Guidelines:

Chemical Name	ACGIH TWA	ACGIH STEL	OSHA TWA
Methyl alcohol (CAS 67-56-1)	200 ppm	250 ppm	200 ppm 260 mg/m <sup>3</sup>
Resin (CAS 9000-59-3)	N/A	N/A	N/A

### Appropriate Engineering Controls:

Engineering Controls: Apply technical measures to comply with the occupational exposure limits.

### Individual Protection Measures, such as Personal Protective Equipment:

Eye/Face Protection: Avoid contact with eyes.

Skin and Body Protection: No protective equipment is needed under normal use conditions.

Respiratory Protection: Ensure adequate ventilation, especially in confined areas. If confined in poorly ventilated areas use NIOSH/MSHA

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Wash exposed areas thoroughly before eating, drinking, smoking or leaving work area. Launder contaminated clothing before reusing.

---

## **Section 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

Revised: 6th June,, 2021

Information on Basic Physical and Chemical Properties

Physical State: Liquid. Odor: Mild.  
 Appearance: Viscous liquid. Odor Threshold: Not available.

Color: Red paste.

<u>Property</u>	<u>Values</u>
pH	N/A
Melting Point/Freezing Point	Not determined.
Boiling Point/Boiling Range	Not determined.

Flash Point	88F (31C) Closed Cup.
Evaporation Rate	Not determined.
Flammability (Solid, Gas)	n/a-liquid
Upper Flammability Limit	Not determined.
Lower Flammability Limit	Not determined.
Vapor Pressure	Not determined.
Vapor Density	Not determined.
Specific Gravity	1.105
Water Solubility	Slight.
Solubility in other Solvents	Not determined.
Partition Coefficient (n-octanol/water)	Not determined.
Auto-ignition Temperature	Not determined.
Decomposition Temperature	Not determined.
Kinematic Viscosity	Not determined.
Explosive Properties	Not determined.
Oxidizing Properties	Not determined.

---

## **Section 10. STABILITY AND REACTIVITY**

---

Reactivity: Not reactive under normal conditions.

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Conditions to Avoid: Keep out of reach of children.

Incompatible Materials: None known.

Hazardous Decomposition Products: Oxides of carbon.

---

## Section 11. TOXICOLOGICAL INFORMATION

---

### Information on Likely Routes of Exposure:

Eye Contact: Causes serious eye irritation.

Skin Contact: May cause an allergic skin reaction.

Inhalation: Avoid breathing vapors or mists.

Ingestion: Do not taste or swallow.

### Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl alcohol (67-56-1)	2,769 mg/kg (Rat) 3,600 mg/kg (Mouse)	17,100 mg/kg (Rabbit)	128.2 mg/L (Rat)
Resin (9000-59-3)	N/D	N/D	N/D

### Information on physical, chemical and toxicological effects:

Symptoms: Please section 4 of this SDS for symptoms.

### Delayed and Immediate Effects as Well as Chronic Effects From Short and Long Term Exposure:

Sensitization: May cause an allergic skin reaction.

Carcinogenicity: Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Methyl/ alcohol (67-56-1)	NO	NO	NO	NO
Resin (9000-59-3)	NO	NO	NO	NO

### Legend

IARC (International Agency for Research on Cancer).

Group3 IARC components are "not classifiable as human carcinogens".

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

### Numerical Measures of Toxicity:

Not Determined.

Revised: 6th June,, 2021

---

## Section 12. ECOLOGICAL INFORMATION

---

GASOILA®HARDSET

Ecotoxicity:

Toxic to aquatic life with lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Methyl alcohol (67-56-1)	EC50/96 hours Scenedesmus subspicatus 22,000 mg/L	LC50/96 hours Blue gill; 15,4000 mg/l	N/D	N/D
Resin (9000-59-3)	N/D	N/D	N/D	N/D

Persistence/Degradability: Not determined.

Bioaccumulation: Not determined.

Mobility: Not determined.

Other Adverse Effects: Not determined.

---

## Section 13. DISPOSAL CONSIDERATIONS

---

Waste Treatment Method:

Disposal of Wastes: Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging: Disposal should be in accordance with applicable regional, national and local laws and regulations.

---

## Section 14. TRANSPORT INFORMATION

---

IN ACCORDANCE WITH DOT:

Revised: 6th June,, 2021

UN NUMBER	UN 1993	
PROPER SHIPPING NAME:	FLAMMABLE LIQUIDS n.o.s. (Methanol)	
HAZARD CLASS	CLASS 3 Flammable and combustible liquid	
PACKING GROUP	III	
<u>IATA:</u>	ID8000 Consumer Commodity Hazard Class 9	GASOILA®HARD SET

---

### Section 15. REGULATORY INFORMATION

---

<u>International Inventories:</u>	Not determined.
<u>U.S. Federal Regulations:</u>	Not determined.
<u>SARA Title 313:</u>	Not determined.
<u>U.S. State Regulations:</u>	
<u>U.S Right-to-Know Regulations:</u>	Not determined.

---

### Section 16. OTHER INFORMATION

---

NFPA:	Health Hazards 2	Flammability 2	Instability 0	Special Hazards Not determined
HMIS	Health Hazards 2	Flammability 2	Instability 0	Special Hazards Not determined

Issue Date: 1<sup>st</sup> March 2014

Revision Date: 6<sup>th</sup> June 2021

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

Revised: 6th June,, 2021



not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet