

According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Product Identifier

Trade Name: MITREAPEL CA Activator

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Mixture Uses: Aerosol, activator

1.3 Details of the Supplier of the Safety Data Sheet

Beta Kimya Sanayi ve Ticaret A.Ş.

BOSB Aydınlı Mah. 1 No.lu Cad. No:11 Tuzla - Istanbul/TÜRKİYE - 0216 593 90 97(Tel.) - 0216 593 90 98 (Fax)

www.betakimya.com.tr - msds@betakimya.com.tr

1.4 Emergency Telephone Number

Emergency Phone Number : +90 216 593 90 97

Working Hours : Weekdays 08:00-18:00 (Turkey Time)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance/mixture

GHS-US classification:

Flammable Aerosol, Category 1 Extremely flammable aerosol.

Aspiration Toxicity, Category 1 May be fatal if swallowed and enters airways.

Skin corrosion/irritation, Category 2 Causes skin irritation.

Specific target organ toxicity — Repeated exposure, May cause drowsiness or dizziness.

Category 3, Respiratory tract irritation

Reproductive System Toxicity, Category 2 Suspected of damaging fertility or the unborn child.

 $Specific \ target \ organ \ toxicity -- Repeated \ exposure, \quad May \ cause \ damage \ to \ organs \ through \ prolonged \ or \ repeated.$

Category 2 exposure exposure cause the hazard.

Aquatic Cronic, Category 2 Toxic to aquatic life with long lasting effects.

2.2 Hazards Identification

Hazard Pictograms:			***
Signal Words:	Danger	<u> </u>	•
Hazard Statements	Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child		



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent

Release date: 17.12.2018

Revision Date/No: -/Rev.00
MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

	May cause damage to organs through prolonged or repeated exposure exposure cause the hazard Toxic to aquatic life with long lasting effects.
Precautionary Statements	Keep away from heat/sparks/open flames/hot surfaces Use personal protective equipment as required If exposed or concerned: Get medical advice/attention If swalled: Immediately call a poison center or doctor/physician If on skin: Wash with plenty of soap and water Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional Information	Contains "Hexane". Danger. Keep out of the reach of children. Repeated exposure may cause skin dryness or cracking.

2.3 Other Hazards

Physical Hazards	Extremely Flammable Aerosol, Cat 1	
Health Hazards	Aspiration Toxicity, Cat. 1; Skin corrosion/irritation, Cat. 2; STOT— RE, Cat. 3;	
	Reproductive System Toxicity, Cat.2; STOT— RE, Cat. 2	
Enviromental Hazards	Aquatic Cronic, Cat. 2	

SECTION 3. COMPOSITION ON INGREDIENTS

3.2 Mixtures

General chemical description:

Cleaner

Base substances of preparation:

Mixture of substances listed below with nonhazardous additions.

Declaration of the ingredients according to Occupational Safety&Health Administration Standard-29 CFR 1910.1200.:

Ingredients	CAS No.	EC No.	Concentration	GHS-US Classification
	110-54-3	203-777-6	≥ 25 %	Flammable liq. 2 Repro. Sys. Tox. 2
Hexane				Asp. Tox. 1 STOT Rep. Exp. 2
				Skin Irrt 2 STOT Rep. Exp 3
				Aquatic Cron. 2
Amine Catalyst	99-97-8	202-805-4	≥1 %	Acute Tox 3 STOT Rep Exp. 2 Aquatic Cro. 3
Butane	106-97-8	203-448-7	>%10	Flammable Aerosol 1
Propane	74-98-6	200-827-9	>%10	Flammable Aerosol 1



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision
Date/No:

MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General Information: If exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor. Get medical advice if you feel unwell.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Vapors and mists may cause headaches, nausea, dizziness, and respiratory tract irritation. If symptoms develop and persist, seek medical advice in case of necessity.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. Get medical advice if you feel unwell. Take off contaminated clothing and wash before reuse.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes. Get medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Consult with a doctor in case swallowing.

4.2 Most important symptoms and effects, both acute and delayed

May cause respiratory irritation. May cause dizziness or drowsiness..

4.3 Indication of any immediate medical attention and special treatment needed

See the Section 8.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media: All common extinguishing agents are suitable. Foam, carbon dioxide, dry powder. **Extinguishing media which must not be used for safety reasons:** High pressure water jet.

5.2 Special Hazards Arising From the Substance or Mixture

Extremely flammable aerosol. Pressurized container: May burst if heated. Vapors are heavier than air and may travel a considerable distance to a source of ignition and flashback. Vapor/air mixtures are explosive. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

5.3 Advice For Firefighters

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Danger of explosion. Keep unnecessary people away, isolate hazard area and deny entry. Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. Do not allow to enter into surface water or drains. Wear self-contained breathing apparatus with a full face-piece and protective clothing.



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

beaguant

Revision -/ Rev.00

Date/No: -/ Rev.00 MSDS No: SDS 042-USA

Release date: 17.12.2018

MITREAPEL CA ACTIVATOR

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel

Use personal protective equipment. Keep children away. Provide ventilation. Keep away from igniting sources. Keep away from naked flame or any incandescent material.

For Emergency Responders

Wear personal protective fireproof clothing.

6.2 Environmental Precautions

Do not empty into drains or water. Avoid release to the environment. Disposal of the chemicals must be made according to official regulations.

6.3 Methods and Material For Containment and Cleaning Up

Do not pierce or burn, even after use. Avoid heat, flames, sparks and other sources of ignition. Do not spray on an open flame or other ignition sources. Stop leak if possible without personal risk. Only personnel trained for the hazards of this material should perform clean up and disposal. Use non-sparking tools and equipment. Dispose of contaminated material as waste according to Section 13.

6.4 Reference to Other Sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions For Safe Handling

Avoid contact with eyes and skin. Avoid breathing vapor and mists. Do not drink, eat and smoke in the working area. Wash hands thoroughly after handling, Use nitrile gloves and protective glass during handling. Do not spray onto a naked flame or any incandescent material

Hygiene Measures : Wash hands, forearms and face thoroughly after handling.

7.2 Conditions For Safe Storage, Including Any Incompatibilities

Keep in a cool, well-ventilated area in original container. Away from heat, sparks and open flame.

Keep containers closed safely and check periodically in case leakage and spilling.

Protect containers from physical damage.

Carbon dioxide will occur with the moisture contact and this leads pressure increase inside the can.

Keep only in the original container

7.3 Specific end use(s)

CA adhesive activator



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

EC No.	CAS No.	Component	TWA	STEL
-	110-54-3	Hexane	20 ppm	-
200-827-9	74-98-6	Propane	1000 ppm	-
203-448-7	106-97-8	Butane	600 ppm	750 ppm
-	99-97-8	Organic Activator	0,5 ppm	

8.2 Exposure Controls

Appropriate Engineering Controls:

Ensure good ventilation. Apply the all common precautions while working with chemicals. Use explosion-proof electrical/ventilating/lighting equipment. Keep awayfrom heat sparks/open flames/hot surfaces.

Eye protection:

Wear protective goggles

Skin protection:

Wear protective equipment. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection:

Tested protective gloves are to be worn: Suitable material: Synthetic rubber gloves. In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Respiratory protection:

In case of dust formation, we recommend wearing of appropriate respiratory protection equipment with particle filter P. This recommendation should be matched to local conditions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information On Basic Physical And Chemical Properties

Appearance : Aerosol, Liquid

Color : Clear

Odor : Characteristic
pH : Not Applicable
Melting/ Freezing Point : Not Applicable
Initial Boiling Point : Not Applicable
Boiling Range : Not Applicable

Flash Point : Closed/ Pressured Vessel 0°C

Evaporation Rate : Not Applicable



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

Flammability of Solids and Gases : Highly flammable

Explosive Limit : Not Applicable

Vapour Density : Not Applicable

Vapour Pressure : Not Applicable

Density 25°C : Not Applicable

Solubility : Soluble in ethanol and ether.

Partition Coefficient (n-octanol/water) : Not Applicable
Auto-ignition temperature : Not Applicable
Decomposition Temperature : Not Applicable
Viscosity : Not Applicable
Explosive Properties : Not Applicable

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

None known.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

See section reactivity

10.4 Conditions to avoid

Keep away from sunlight and do not expose temperatures above 50°C. Protect containers from physical damage. Keep away from heat, flame and spark. Do not pierce or burn, even after use.

10.5 Incompatible materials

Keep away from oxidizing agent, acids and bases.

10.6 Hazardous decomposition products

In case of exposure to heat combustion products like oxides of carbons CO and CO2 may occur.



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments Release date: 17.12.2018

Revision
-/Rev.00
Date/No:
MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Informations of Toxicological Effects

Acute Toxicology:

EC No.	CAS No.	Component	Toxicity
-	110-54-3	Hexane	Toxicity category 3: toxic to reproduction system.
-	99-97-8	Organic Activator	LD50 Oral (rat): > 200-2000 mg/kg LD50 Dermal (rabbit): > 400-2000 mg/kg LC50 Inhalation (rat): > 1-5 mg/l/4h
200-827-9	74-98-6	Propane	LC50 (rat) : 658mg/L (inh.)
203-448-7	106-97-8	Butane	LC50 (rat) : 658mg/L (inh.)

Skin Corrosion/Irritation: Causes skin irritation. An allergic reaction cannot be excluded after repeated skin contact.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

STOT - Repeated Exposure: May cause drowsiness or dizziness.

STOT - Repeated Exposure: May cause damage to organs through prolonged or repeated exposure.

Aspiration Toxicity: May be fatal if swallowed and enters airways.

Serious Eye Damage/Eye Irritation : Not classified based on available information.
Respiratory or Skin Sensitization : Not classified based on available information.
Germ Cell Mutagenicity : Not classified based on available information.
Carcinogenicity : Not classified based on available information.
STOT-single exposure : Not classified based on available information

Potential adverse human health

:Based on available data, the classification criteria are not met.

effects and symptoms

Symptoms/effects after inhalation : May cause respiratory irritation

SECTION 12. ECOLOGICAL INFORMATION

General Ecological Information:

Do not allow spreading soil, waterways or waste water canal.

12.1. Toxicity

EC No.	CAS No.	Component	Toxicity
-	110-54-3	Hexane	LC50: >1000 μg/l-Fish (48h) EC50: 45 mmol/m3-Invertebrates (48h)
			EC50: 2.66%-Alga (10d)

No additional information available

12.2. Persistence and degradability

EC No.	CAS No.	Component	Biodegradable
-	110-54-3	Hexane	Readily biodegradable



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent

Release date: 17.12.2018

Revision
Date/No: -/Rev.00
MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

12.3. Bioaccumulative potential

EC No.	CAS No.	Component	Persistence
-	110-54-3	Hexane	BCF: 501

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Loaded cans must be sent to hazardous waste disposal facility. Protective glass, nitrile gloves and protective clothes must be worn during disposal in case of explosion. In consultation with the responsible local authority, must be subjected to special treatment. Disposal of the products must be made according to official regulations.

Product disposal recommendations:

Dispose in a safe manner in accordance with local/national regulations. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Packaging disposal recommendations:

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

14.1. UN Number

ICA/IATA-DGR/ DOT : UN 1950 IMDG : 1950 ADR/RID : 1950

14.2. UN Proper Shipping Name

ADR/RID : AEROSOLS, FLAMMABLE

DOT(49 CFR) : Aerosols

IATA-DGR : Aerosols, flammable

IMDG : AEROSOLS



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

14.3. Transport Hazard Class(es)

ADR / RID, IATA-DGR, IMDG, DOT : 2.1

Hazard Label (DOT)



14.4. Packaging Group

Not applicable.

14.5. Environmental Hazards

Harmful to aquatic life with long lasting effects.

14.6. Special Precautions For User

Avoid high temperature.

IMDG-EmS Number : F-D, S-U ADR-Tunnel Restriction Code : (D)

Exceptions : ICAO/IATA (Not more than 66 pounds (30 kg))

IMO/IMDG Limited quantity (Not more than 1 L).

14.7. Transport In Bulk According to Annex II of Marpol and The IBC Code

Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Hazard Communication Standars, 29 CFR 1910.1200 United States TSCA Inventory, (TSCA)

15.2. Chemical safety assessment

US Federal Reg. : No additional information available
US State Reg. : No additional information available
CANADA : No additional information available
EU-Regulations : No additional information available
National regulations : No additional information available



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 042-USA

MITREAPEL CA ACTIVATOR

SECTION 16. OTHER INFORMATION

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 11/24/2018.

SDS US (GHS HazCom 2012)

Document Author Certificate No.: GBF-A-0-2901

This document is generated for the purpose of distributing health, safety, and environmental data. It is not a specification sheet nor should any displayed data be construed as a specification. The information on this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use or disposal of this product. It the product is used as a component in another product, this MSDS information may not be applicable



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Product Identifier

Trade Name: MitreApel Cyanoacrylate Adhesive

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Mixture Uses: Adhesive

1.3 Details of the Supplier of the Safety Data Sheet

Beta Kimya Sanayi ve Ticaret A.Ş.

BOSB Aydınlı Mah. 1 No.lu Cad. No:11 Tuzla - Istanbul/TÜRKİYE - 0216 593 90 97(Tel.) - 0216 593 90 98 (Fax)

www.betakimya.com.tr - msds@betakimya.com.tr

1.4 Emergency Telephone Number

Emergency Phone Number : +90 216 593 90 97

Working Hours : Weekdays 08:00-18:00 (Turkey Time)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance/mixture

GHS-US classification:

Skin corrosion/irritation, Category 2

Serious eye damage/eye irritation, Category 2

Specific target organ toxicity — Single exposure,

Category 3, Respiratory tract irritation

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

2.2 Hazards Identification

Hazard Pictograms:		
Signal Words:	Warning	
Hazard Statements	Causes serious eye irritation. May cause respiratory irritation. Causes skin irritation.	
Precautionary Statements	Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/ clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of soap and water.	



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision Date/No: -/Rev.00
MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

	If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional Information	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

2.3 Other Hazards

Physical Hazards Not applicable.	
Health Hazards	Skin Irritation, Cat 2; Eye Irritation, Cat 2; STOT SE, Cat 3.
Enviromental Hazards	Not applicable.

SECTION 3. COMPOSITION ON INGREDIENTS

3.2 Mixtures

General chemical description:

Rapid Adhesive

Base substances of preparation:

Cyanoacrylate. Mixture of substances listed below with nonhazardous additions.

Declaration of the ingredients according to Occupational Safety&Health Administration Standard-29 CFR 1910.1200.:

Ingredients	CAS No.	EC No.	Concentration	GHS-US Classification
Ethyl 2-Cyanoacrylate	7085-85-0	230-391-5	%80 - %100	Eye Irr. 2 STOT Single Exp. 3 Skin Irr. 2

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General Information: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Skin Contact: Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing. Seek medical treatment and present this data sheet.



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision
Date/No: -/Rev.00
MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms develop and persist, seek medical advice in case of necessity.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes. If eyelids are bonded closed, do not force eye open. Get medical attention.

Ingestion: Ensure that breathing passages are not obstructed. The product will polymerise immediately in the mouth making impossible to swallow. Product will separate after a few hours.

4.2 Most important symptoms and effects, both acute and delayed

Potential adverse human health effects and symptoms:

Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation:

May cause respiratory irritation.

Symptoms/effects after skin contact:

Causes skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

See the Section 8.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media: All common extinguishing agents are suitable. Foam, carbon dioxide, dry powder. **Extinguishing media which must not be used for safety reasons:** High pressure water jet.

5.2 Special Hazards Arising From the Substance or Mixture

No additional information available.

5.3 Advice For Firefighters

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel

Use personal protective equipment. Provide ventilation. Keep away from igniting sources. Keep away from naked flame or any incandescent material.

For Emergency Responders

Wear personal protective fireproof clothing.

6.2 Environmental Precautions

Do not empty into drains or water. Disposal of the chemicals must be made according to official regulations.

6.3 Methods and Material For Containment and Cleaning Up

Flood wih water to complete polymerization and scrape off the floor. Dispose of contaminated material as waste according to Section 13.

6.4 Reference to Other Sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions For Safe Handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Hygiene Measures : Wash hands, forearms and face thoroughly after handling.

7.2 Conditions For Safe Storage, Including Any Incompatibilities

Keep container tightly closed.

Keep in a cool, well-ventilated area in original container

Away from heat, sparks and open flame.

Keep containers closed safely and check periodically in case leakage and spilling.

Protect containers from physical damage.

Dont store with strong bases and strong acids.

Keep only in the original container

7.3 Specific end use(s)

Adhesive



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision Date/No: -/Rev.00
MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

EC No.	CAS No.	Component	TWA	STEL
230-391-5	7085-85-0	Ethyl-2-Cyanoacrylate	-	1 mg/m³

8.2 Exposure Controls

Appropriate Engineering Controls:

Ensure good ventilation. Apply the all common precautions while working with chemicals.

Respiratory protection:

In case of dust formation, we recommend wearing of appropriate respiratory protection equipment with particle filter P. This recommendation should be matched to local conditions.

Hand protection:

Tested protective gloves are to be worn: Suitable material: Synthetic rubber gloves. In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Eye protection:

Wear protective goggles

Skin protection:

Wear protective equipment. Do not use PVC, rubber, cotton or nylon gloves.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information On Basic Physical And Chemical Properties

Appearance : Liquid

Color : Colorless

Odor : Irritating

pH : Not Applicable

Melting/ Freezing Point : Not Applicable

Initial Boiling Point : 150°C

Boiling Range : Not Applicable

Flash Point : 85°C

Evaporation Rate: Not ApplicableFlammability of Solids and Gases: Not ApplicableExplosive Limit: Not ApplicableVapour Density: Not Applicable



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision (2.002)

Revision
Date/No:

MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

Vapour Pressure : 0,293 mmHg

Density 25°C : 1,05 ±0,01 kg/m³

Solubility : Insoluble in water reacts with water. Soluble in acetone.

Partition Coefficient (n-octanol/water) : Not Applicable
Auto-ignition temperature : Not Applicable
Decomposition Temperature : Not Applicable
Viscosity : Not Applicable
Explosive Properties : Not Applicable
Oxidizing Properties : Not Applicable

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

See section reactivity

10.4 Conditions to avoid

None if used for intended purpose. Direct sunlight. Extremely high or low temperatures.

10.5 Incompatible materials

Strong acids and strong bases.

10.6 Hazardous decomposition products

At higher temperatures carbon oxides may be released.



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Informations of Toxicological Effects

General Toxicology Information:

EC No.	CAS No.	Component	Limiting Values
230-391-5	7085-85-0	Ethyl-2-Cyanoacrylate	0,3 ppm; STEL 0,2 ppm; TWA

Acute Toxicology:

EC No.	CAS No.	Component	Toxicity
230-391-5	7085-85-0	Ethyl-2-Cyanoacrylate	LD50 (oral) : >5000 mg/kg (rat) LD50 (Dermal) : >2000 mg/m³ (rabbit)

Skin Corrosion/Irritation: Causes skin irritation.

EC No.	CAS No.	Component	Toxicity
230-391-5	7085-85-0	Ethyl-2-Cyanoacrylate	Rabbit; 24h; Slightly irritating

May cause skin irritation. Bonds skin in seconds. Cyanoacrylates have been reported to cause allergic reaction but due to rapid polymerization at the skin surface, an allergic response is rare. Cyanoacrylates generate heat on solidification. In rare circumstances a large drop will burn the skin. Cured adhesive does not present a health hazard even if bonded to the skin.

Serious Eye Damage/Irritation: Causes serious eye irritation.

EC No.	CAS No.	Component	Toxicity
230-391-5	7085-85-0	Ethyl-2-Cyanoacrylate	Rabbit; 72h; Slightly irritating

Irritating to eyes. Causes excessive tearing. Eyelids may bond.

Inhalation: May cause respiratory tract irritation. Exposure to vapors above the established exposure limit results in respiratory irritation, which may lead to difficulty in breathing and tightness in the chest.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Potential adverse human health :Based on available data, the classification criteria are not met.

effects and symptoms

Symptoms/effects after inhalation : May cause respiratory irritation



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

SECTION 12. ECOLOGICAL INFORMATION

General Ecological Information:

The material is not biodegradable so, do not allow spreading soil, waterways or waste water canal.

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

EC No.	CAS No.	Component	Biodegradable
230-391-5	7085-85-0	Ethyl-2-Cyanoacrylate	% 57 aerobic

12.3. Bioaccumulative potential

EC No.	CAS No.	Component	Persistence
230-391-5	7085-85-0	Ethyl-2-Cyanoacrylate	logKow 0.776 (@20°C)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Based on current knowledge, the mixture does not include greater than 0,1% the ratio of PBT or vPvB substances.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

If it is possible, try to reuse the mixture. In consultation with the responsible local authority, must be subjected to special treatment. Disposal of the products must be made according to official regulations.

Product/Packaging disposal recommendations:

Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials:

Avoid release to the environment.



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments Release date: 17.12.2018

Revision
Date/No:

MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

SECTION 14. TRANSPORT INFORMATION

14.1. UN Number

IATA-DGR / DOT : UN 3334 IMDG : 3334 ADR/RID : 1993

14.2. UN Proper Shipping Name

ADR/RID : COMBUSTIBLE LIQUIDS, N.O.S (Cyanoacrylate ester)
IMDG, IATA-DGR and DOT : Aviation regulated liquid, n.o.s (Cyanoacrylate ester)

14.3. Transport Hazard Class(es)

Not hazardous according to RID, ADR, ADNR, IMDG,

ADR / RID : 3

IATA-DGR : 9 - Miscellaneous Dangerous Goods

IMDG : 9 - Miscellaneous Dangerous substrances and articles

DOT : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140



Hazard Label (DOT)

14.4. Packaging Group

ADR/RID : III
IMDG : None
IATA-DGR : III

14.5. Environmental Hazards

No data avaliable.

14.6. Special Precautions For User

No data avaliable according to RID, ADR, ADNR, IMDG.

IATA-DGR : Primary packs containing less than 500ml are unregulated by this mode of transport

and may be shipped unrestricted.

DOT Packaging Non Bulk (49 CFR 173.xxx) : 204

DOT Symbols : A - Material is regulated as a hazardous material only when transported by air,G -

Identifies PSN requiring a technical name

DOT Special Provisions

(49 CFR 172.102)

: A35 - This includes any material which is not covered by any of the other classes but which has an anesthetic, narcotic, noxious or other similar properties such that, in the event of spillage or leakage on an aircraft, extreme annoyance or discomfort could be caused to crew members so as to prevent the correct performance of assigned duties.

A189 - Except where the defining criteria of another class or division are met,



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

concentrations of formaldehyde solution: a. With less than 25 percent but not less than 10 percent formaldehyde, must be described as UN3334, Aviation regulated liquid, n.o.s; and b. With less than 10 percent formaldehyde, are not subject to this subchapter.

DOT Packaging

ckaging

Exceptions (49 CFR 173.xxx)

DOT Quantity : 450 L

Limitations Passenger

aircraft/rail (49 CFR 173.27)

DOT Quantity : 450 L

Limitations Cargo aircraft only (49 CFR 175.75)

DOT Vessel Stowage

Location

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response

Guide (ERG) Number

: 171

: 155

14.7. Transport In Bulk According to Annex II of Marpol and The IBC Code

Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Hazard Communication Standars, 29 CFR 1910.1200 United States TSCA Inventory, (TSCA)

15.2. Chemical safety assessment

US Federal Reg. : No additional information available
US State Reg. : No additional information available
CANADA : No additional information available
EU-Regulations : No additional information available
National regulations : No additional information available



According to Occupational Safety&Health Administration Standard- 29 CFR and Subsequent Amendments

Release date: 17.12.2018

Revision
Date/No: -/ Rev.00
MSDS No: SDS 035-USA

MITREAPEL CYANOACRYLATE ADHESIVE

SECTION 16. OTHER INFORMATION

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 11/24/2018.

H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H315	Causes skin irritation.	

SDS US (GHS HazCom 2012)

Document Author Certificate No.: GBF-A-0-2901

This document is generated for the purpose of distributing health, safety, and environmental data. It is not a specification sheet nor should any displayed data be construed as a specification. The information on this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use or disposal of this product. It the product is used as a component in another product, this MSDS information may not be applicable