



# Safety Data Sheet

## A7353 Anti-Seize Lubricant

### Section 1. Identification

Product Identifier A7353 Anti-Seize Lubricant  
Synonyms Petroleum Hydrocarbon; Lubricant  
Manufacture Stock Numbers 0353

Recommended use Use as lubricant.  
Uses advised against Use only for the purpose on the label.

Manufacturer Contact  
Address US Industrial Lubricants  
3330 Beekman Street  
Cincinnati, OH, 45223  
USA

Phone (513) 541-2225      Emergency Phone (800) 535-5053      Fax (513) 541-2293

Email  
tkorzep@usindustriallubricants.com

### Section 2. Hazards Identification

Classification N/A  
Signal Word  
Pictogram  
Hazard Statements N/A  
Precautionary Statements  
Response N/A  
Prevention N/A  
Storage N/A  
Disposal N/A

Ingredients of unknown toxicity 0%

**Hazards not Otherwise Classified** This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
64742-65-0	Petroleum distillates, solvent dewaxed heavy paraffinic	Unknown
68511-50-2	Sulfurized hydrocarbon	Unknown
127883-08-3	Ethylene/Propylene Copolymer	Unknown

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid Measures

**Skin** Wash with soap and water.  
**Eyes** Flush thoroughly with water.  
**Ingestion** Do not induce vomiting. Call a physician.

### Section 5. Fire Fighting Measures

**Suitable Extinguishing Media** Use water fog, dry chemical, foam or carbon dioxide.  
**Unsuitable Extinguishing Media** Do not use water.  
**Unusual Fire and Explosion Hazards** A direct stream of water may cause the fire to spread. The material will float on water.  
**Special Fire Fighting Procedures** Firefighters should be equipped with self-contained breathing apparatus. Water may be ineffective, but should be used to keep exposed containers cool.

### Section 6. Accidental Release Measures

**Spill or Leak Procedure** Contain spilled material. Transfer to secure containers. Where necessary, collect using absorbant media.

### Section 7. Handling and Storage

**Handling** Handle in accordance with good industrial hygiene and safety practice.  
**Storage** Keep container tightly closed in a dry, cool and well-ventilated place.  
**Incompatible Products** Strong oxidizing agents.

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
Petroleum distillates, solvent dewaxed heavy paraffinic	5 mg/m <sup>3</sup> (mist)	5 mg/m <sup>3</sup> (mist)	N/A
Sulfurized hydrocarbon	N/A	N/A	N/A
Ethylene/Propylene Copolymer	N/A	N/A	N/A

Personal Protective Equipment

Goggles

## Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Red
Odor	Typical hydrocarbon
Odor Threshold	Mild
Solubility	Insoluble in water
Partition coefficient Water/n-octanol	N/A
Viscosity	N/A
Specific Gravity	0.93
Density lbs/Gal	7.7469
Pounds per Cubic Foot	N/A
Flash Point	500 F
FP Method	Cleveland Open Cup
Ph	N/A
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	> 600 F
Vapor Pressure	N/A
Vapor Density	N/A

## Section 10. Stability and Reactivity

Stability	This product is stable under normal conditions.
Hazardous Polymerization	Will not occur.
Reactivity	Under normal storage conditions and use, hazardous reactions will not occur.
Conditions to avoid	None
Materials to avoid	Strong oxidizing agents, caustic or acidic solutions.

## Section 11. Toxicological Information

Inhalation	No specific data.
Eyes	Adverse conditions may include; irritation, watering, redness
Ingestion	No specific data.
Skin	No specific data.
Mutagenicity	No known significant effects or critical hazards.
Carcinogenicity	Petroleum products are known to cause cancer because of carcinogenic components (e.g. benzene, DMSO). These carcinogenic components are typically found in crude petroleum products and are removed through the refinement process.
Petroleum distillates, solvent dewaxed heavy paraffinic	According to ACGIH, this raw material is an A2 which means it is a suspected human carcinogen. According to IARC, this raw material is a Group 1, which means it is carcinogenic to humans. This raw material has also been marked present for OSHA.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Aspiration Hazard	No information available.
LD50 Oral	4702 mg/kg; acute toxicity estimate

## Section 12. Ecological Information

Ecotoxicity	This product is toxic to algae, fish, and water fleas. The environmental impact of this product has not been fully investigated.
Persistence and Degradability	No information available.
Bioaccumulation	No information available.

## Section 13. Disposal

Container Disposal	Containers that can be cleaned and reused are recommended.
--------------------	--

## Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	Not regulated
DOT Classification	Not regulated
Packing Group	Not regulated

## Section 15. Regulatory Information

TSCA	All ingredients used in the make up of this product are listed on TSCA.
U.S. Federal Regulations	Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.
SARA 311/312 Hazard Categories	Acute Health Hazard: No Chronic Health hazard: No Fire Hazard: No Sudden Release of Pressure Hazard: No Reactive Hazard: No
Clean Water Act	This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).
CERCLA/SUPER FUND	This product does not contain any reportable quantity.
California Proposition 65	This product does not contain any Proposition 65 chemicals.
State Right to Know Laws	Contains the following substances listed under this regulation. Petroleum distillates, solvent dewaxed heavy paraffinic

## Section 16. Other Information

Revision Date

7/8/2014

Disclaimer

The information contained herein is based on the manufacturer's own study and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be held liable (regardless of fault) to the vendee's employees, or anyone for any direct, special, or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.