

SAFETY DATA SHEET

1. Identification

Product identifier Driller Red Grease

Other means of identification

Product code No. 73640 (Item# 1006212)

Recommended use Lubricant
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company nameCRC Canada Co.Address2-1246 Lorimar Drive

Mississauga, Ontario L5S 1R2

Canada

Telephone

General Information 905-670-2291

24-Hour Emergency 800-424-9300 (Canada) (CHEMTREC) 703-527-3887 (International)

Website www.crc-canada.ca

E-mail Support.CA@crcindustries.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wear protective gloves and eye/face protection. Wash thoroughly after handling.

Response IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	<u></u> %
distillates (petroleum), hydrotreated heavy naphthenic		64742-52-5	60 - 80
lithium hydroxide, monohydrate		1310-66-3	1 - 5

Material name: Driller Red Grease SDS CANADA

No. 73640 (Item# 1006212) Version #: 01 Issue date: 01-18-2017

Chemical name	Common name and synonyms	CAS number	%
residual oils (petroleum), solvent-refined		64742-01-4	1 - 5
tris(dipentyldithiocarbamato-s,s')ant		15890-25-2	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

None known.

Addition of water or foam to the fire may cause frothing. Molten material can form flaming droplets if ignited. Use of water on product above 100 °C (212 °F) can cause product to expand with explosive force.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Scoop up used absorbent into drums or other appropriate container. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: Driller Red Grease SDS CANADA

8. Exposure controls/personal protection

Occupational exposure limits

116	Thresho	านเ	imit \	Values

JS. ACGIH Threshold Limit Values Components	Туре	Value	Form
distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
esidual oils (petroleum), solvent-refined (CAS 64742-01-4)	TWA	5 mg/m3	Inhalable fraction.
ris(dipentyldithiocarbamato s,s')antimony (CAS I5890-25-2)	TWA	0.5 mg/m3	
Canada. Alberta OELs (Occupation Components	al Health & Safety Code, Sch Type	edule 1, Table 2) Value	Form
distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
ris(dipentyldithiocarbamato s,s')antimony (CAS 5890-25-2)	TWA	0.5 mg/m3	
Canada. British Columbia OELs. (C Safety Regulation 296/97, as amen		for Chemical Substances, C	ccupational Health and
Components	Туре	Value	
ithium hydroxide, nonohydrate (CAS I310-66-3)	Ceiling	1 mg/m3	
ris(dipentyldithiocarbamato s,s')antimony (CAS 15890-25-2)	TWA	0.5 mg/m3	
Canada. Manitoba OELs (Reg. 217/	-	· · · · · · · · · · · · · · · · · · ·	_
Components	Туре	Value	Form
distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
esidual oils (petroleum), solvent-refined (CAS 64742-01-4)	TWA	5 mg/m3	Inhalable fraction.
ris(dipentyldithiocarbamato s,s')antimony (CAS 15890-25-2)	TWA	0.5 mg/m3	
Canada. Ontario OELs. (Control of	-		-
Components	Туре	Value	Form
ithium hydroxide, nonohydrate (CAS l310-66-3)	STEL	1 mg/m3	
esidual oils (petroleum), solvent-refined (CAS 34742-01-4)	TWA	5 mg/m3	Inhalable fraction.
ris(dipentyldithiocarbamato s,s')antimony (CAS	TWA	0.5 mg/m3	

Material name: Driller Red Grease SDS CANADA

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) **Form** Components Value Type distillates (petroleum), STEL 10 mg/m3 Mist. hydrotreated heavy naphthenic (CAS 64742-52-5) **TWA** 5 mg/m3 Mist. **TWA** 0.5 mg/m3 tris(dipentyldithiocarbamato -s,s')antimony (CAS 15890-25-2)

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelinesOccupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves such as: Nitrile. Polyvinyl chloride (PVC).

Other Wear appropriate chemical resistant clothing.

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

. .

9. Physical and chemical properties

Appearance

Physical stateSolid.FormGrease.ColorRed.

Odor Mild petroleum.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling

range

680 °F (360 °C) estimated

Flash point 302 °F (150 °C) Open Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper Not available.

(%)

Vapor pressure< 0.01 mm Hg</th>Vapor density> 10 (air = 1)

Relative density 0.93

Solubility(ies)

Solubility (water) Not available.

Material name: Driller Red Grease SDS CANADA

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

500 °F (260 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Percent volatile 69 % estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition Carbon oxides. Hydrocarbon fumes and smoke. Sulfur oxides. Oxides of phosphorus. Nitrogen

products oxides (NOx). Zinc oxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and

toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

residual oils (petroleum), solvent-refined (CAS 64742-01-4)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat 2.18 mg/l, 4 hours

Oral

LD50 Rat > 5000 mg/kg

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

Acute

Dermal

LD50 Rabbit > 16000 mg/kg

Oral

LD50 Rat > 16400 mg/kg

Skin corrosion/irritation Causes skin irritation.

Material name: Driller Red Grease

^{*} Estimates for product may be based on additional component data not shown.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

tris(dipentyldithiocarbamato-s,s')antimony (CAS

Irritant

Respiratory sensitization

15890-25-2)

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

distillates (petroleum), hydrotreated heavy naphthenic

A4 Not classifiable as a human carcinogen.

(CAS 64742-52-5)

residual oils (petroleum), solvent-refined (CAS

A4 Not classifiable as a human carcinogen.

64742-01-4)

Canada - Manitoba OELs: carcinogenicity

distillates (petroleum), hydrotreated heavy naphthenic

Not classifiable as a human carcinogen.

(CAS 64742-52-5)

residual oils (petroleum), solvent-refined (CAS

Not classifiable as a human carcinogen.

64742-01-4)

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results	
distillates (petroleum),	hydrotreated heav	y naphthenic (CAS 64742-52-5)		
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	1000 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	5000 mg/l, 96 hours	
residual oils (petroleur	n), solvent-refined ((CAS 64742-01-4)		
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	1000 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	5000 mg/l, 96 hours	
tris(dipentyldithiocarba	amato-s,s')antimony	y (CAS 15890-25-2)		
Aquatic				
Chronic				
Crustacea	NOEC	Water flea (Daphnia magna)	0.02 mg/l, 21 days	

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. No data available. Mobility in soil

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: Driller Red Grease SDS CANADA

13. Disposal considerations

Disposal of waste from residues / unused products

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Not regulated.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

15. Regulatory information

Canadian regulations

the IBC Code

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed

Greenhouse Gases

Not listed.

Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Material name: Driller Red Grease
No. 73640 (Item# 1006212) Version #: 01 Issue date: 01-18-2017

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 01-18-2017

Version # 01

Disclaimer The information contained in this document applies to this specific material as supplied. It may not

be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Canada Co..

Material name: Driller Red Grease SDS CANADA